



NURSING ASSISTING

Purpose: To provide the Health Science student with an opportunity to develop and demonstrate knowledge and skills in nursing assisting.

Description of Event: This event will consist of two rounds of competition. Round One will be a written, multiple choice test of knowledge and understanding. The top scoring competitors will advance to Round Two for the performance of selected skill procedure(s) identified in a written scenario. The scenario will require the use of critical thinking skills. The performance will be timed and evaluated according to the event guidelines.

Dress Code: Competitors shall wear proper business attire or official HOSA uniform, or attire appropriate to the occupational area, during the orientation and written test. Competitors will wear attire appropriate to the occupational area during the skill procedure(s). School identification or name pins must be removed or covered during competition. Bonus points will be awarded for proper dress.

- Rules and Procedures**
- Competitors in this event must be active members of HOSA in good standing in the category in which they are registered to compete (Secondary or Postsecondary/Collegiate). Competitors should compete in skill events at the highest level of their training.
 - The test shall be developed from the National HOSA test item bank and will consist of fifty (50) multiple choice items. Competitors will be given one hour to complete the test.

Round One: Written Test Plan

| | |
|---|-----|
| Communication..... | 5% |
| Personal Qualities..... | 5% |
| Ethical and Legal Responsibilities..... | 5% |
| Human Growth and Development..... | 5% |
| Anatomy and Physiology..... | 15% |
| Aging and Geriatric Care..... | 5% |
| Nutrition..... | 10% |
| Safety and Body Mechanics..... | 10% |
| Infection Control..... | 10% |
| Vital Signs..... | 10% |
| Nursing Assistant Skills..... | 15% |
| Metric Measurements/Conversions..... | 5% |

- All competitors shall report to the site of the event orientation at the time designated. The Round One test will immediately follow the orientation. **No proxies will be allowed for the orientation.** No study materials are allowed in the room.
- All official references are used in the development of the written test. The specific reference selected for each procedure is listed in the Facilities, Equipment and Materials section of these guidelines.
 - Simmers, Louise. *Diversified Health Occupations*, Delmar Publishing. Latest edition.
 - Sorrentino, Sheila. *Mosby's Textbook for Nursing Assistants*, Elsevier/Mosby-Year Book, Inc. Latest edition.

5. The test score from Round One will be used to qualify the competitor for the Round Two skill procedures. The procedures approved for this event are:

| | |
|----------------|--|
| Procedure I: | Handwashing |
| Procedure II: | Make an Unoccupied Bed |
| Procedure III: | Make an Occupied Bed |
| Procedure IV: | Position patient with specified disability in bed |
| Procedure V: | Transfer patient with specified disability from bed to a chair/wheelchair. |
| Procedure VI: | Measure and record vital signs: TPR and blood pressure (aneroid) |
| Procedure VII: | Prepare patient for a meal; determine intake |
6. The selected procedure(s) for Round Two, in the form of a written scenario, will be presented to the competitor at the start of the skill to be performed. The timing for the skill will begin when the scenario is presented. The scenario will be the same for each competitor and will include a challenging component that will require the competitor to apply critical thinking skills.
7. The scenario is a secret topic. Professional ethics demand that competitors DO NOT discuss or reveal the secret topic until after the event has concluded. Competitors who violate this ethical standard will be disqualified.
8. In case of a tie, the highest test score will be used to determine the rank.
9. Competitors must complete all steps of the procedure listed in the guidelines even if the steps must be simulated/verbalized. Steps may NOT be simulated/verbalized when the equipment/materials are available.
10. The competitor must earn a score of 70% or higher on the combined skill procedure(s) of the event (excluding the test) in order to be recognized as an award winner at the NLC.
11. Competitors will be stopped at the end of the time allowed for a selected procedure(s).
12. Competitors must bring all items noted with *** in the materials section of these guidelines to the event.
13. Competitors must be familiar with and adhere to the "**General Rules and Regulations of the National HOSA Competitive Events Program.**"

Required Personnel

1. One Event Manager per event
2. One Section Leader per section
3. One judge per procedure selected per section (with expertise in the specific skill area)
4. Proctors for testing
5. One-two Courtesy Corps per section
6. One-two patients as required by the scenario (per section) with identification band(s)
7. Holding room attendants(s)
8. Timekeepers (if necessary)

Facilities, Equipment and Materials (Per Section)

- General**
1. Clinical and/or laboratory stations for selected procedures
 2. Holding rooms or areas for competitors
 3. Written scenario (one copy per competitor and judge)
 4. Calculators, note pads, pencils for judges
 5. Certificates or each competitor that completes Round One
 6. Event evaluations and pencils
 7. Stopwatch
 - *** 8. Gloves
 - *** 9. Watch with second hand
 - *** 10. Pens and pencils for all procedures
 11. Patient identification

- Round One: Written Test** (Reference: All resources)
1. One test copy per competitor
 2. Scantron forms
 3. Paper for scratch paper/cover sheet

**Round Two:
Procedure I Handwashing** (Reference: Simmers)

1. Sink
2. Paper towels
3. Waste container
4. Orange/cuticle stick or hand brush
5. Soap

Procedure II Make an Unoccupied Bed (Reference: Simmers)

1. Hospital bed
2. Pillow
3. Laundry hamper
4. Trash can liners for laundry hampers, 1 per competitor
5. Alcohol-based handrub
- *** 6. Set of linens for each competitor: (two large flat sheets, one draw sheet [a flat sheet may be used], one pillow case, one spread). *If desired, the competitor may use a blanket as the spread.
- *** 7. Barrier devices (gloves, gown, goggles, mask)

Procedure III Make an Occupied Bed (Reference: Simmers)

1. Hospital bed
2. Pillow
3. Laundry hamper
4. Trash can liners for laundry hampers, 1 per competitor
5. Alcohol-based handrub
- *** 6. Set of linens for each competitor: (two large flat sheets, one draw sheet [a flat sheet may be used], one pillow case, one spread, one bath blanket). *If desired, the competitor may use a blanket as the spread.
- *** 7. Barrier devices (gloves, gown, goggles, mask)

Procedure IV Position Patient (Reference: Simmers)

1. Hospital bed, sheets, and pillow
- *** 2. Barrier devices (gloves, gown, goggles, mask)
3. Alcohol-based handrub
4. 3 pillows, 2 bath blankets. 2 large towels, 2 washcloths

Procedure V Transfer Patient (Reference: Simmers)

1. Hospital bed
2. Chair/wheelchair
3. Blanket or sheet
4. Patient robe and slippers
- *** 5. Barrier devices (gloves, gown, goggles, mask)
6. Alcohol-based handrub
- * 7. Gait belt (Competitor may choose to provide his/her own gait belt.)


Procedure VI Measure and Record Vital Signs (Reference: Simmers)

1. Digital or Non-mercury thermometer with disposable sheaths/probes. (Some digital thermometers use sheath covers while other more expensive thermometers use probe covers.)
2. Biohazardous waste container
3. Sphygmomanometer
4. Teaching stethoscope
5. Antiseptic wipes
- *** 6. Watch with second hand or timer
7. Graphic forms
- *** 8. Barrier devices (gloves, gown, goggles, mask)
9. Alcohol-based handrub
10. Container and solution for holding glass thermometer (if used)
11. Tissues

Procedure VII Prepare Patient for a Meal and Determine Intake (Reference: Simmers)

1. Overbed table
2. Meal tray
- *** 3. Barrier devices (gloves, gown, goggles, mask)
4. Towel (2 per competitor)
5. Wash Cloth (2 per competitor)
6. Sink access
7. Alcohol-based handrub
8. I & O record (1 per competitor)

Event Flow Chart



NURSING ASSISTING

Competitor #: _____ Judge's Signature: _____

| Procedure I | Handwashing (Time: 3 minutes) | Possible | Allocated |
|------------------------------------|--|-----------|-----------|
| 1. | Removed jewelry | 1 | |
| 2. | Turned faucet on with paper towel, adjusted temperature (water should be warm) and discarded towel in waste container | 3 | |
| 3. | Wet hands and wrists thoroughly with fingertips pointing down | 2 | |
| 4. | Applied soap to get a lather on hands | 1 | |
| 5. | Put the palms of hands together and rubbed them using friction and a circular motion for 10-15 seconds | 3 | |
| 6. | Put the palm of one hand on the back of the other hand, rubbed together several times and repeated after reversing position of hands | 3 | |
| 7. | Interlaced fingers on both hands and rubbed them back and forth | 2 | |
| 8. | Cleaned nails with an orange/cuticle stick and/or hand brush | 2 | |
| 9. | Rinsed hands with fingertips pointed downward | 2 | |
| 10. | Dried hands thoroughly, from tips of fingers to wrist, and discarded towel | 2 | |
| 11. | Turned faucet off with dry paper towel and discarded towel in wastebasket | 2 | |
| 12. | Avoided touching inside of sink | 3 | |
| TOTAL POINTS -- PROCEDURE I | | 26 | |

***If a student jeopardizes the patient's or his/her own safety or fails to perform a critical technique and does not take immediate action to correct the error, the total points for the procedure or specific subpart(s) will be deducted.*

NURSING ASSISTING

Competitor #: _____

Judge's Signature: _____

| Procedure II | Make an Unoccupied Bed (Time: 8 minutes) | Possible | Allocated |
|--------------|--|----------|-----------|
| 1. | Assembled equipment and supplies | 2 | |
| 2. | Used alcohol-based handrub for hand hygiene | 2 | |
| 3. | Practiced standard precautions throughout procedure | 2 | |
| 4. | Arranged the linen on a chair in the order in which the linen is to be used | 2 | |
| 5. | Adjusted bed to appropriate height and locked wheels | 3 | |
| 6. | Removed soiled linens by rolling into compact bundle, and placed in hamper | 1 | |
| 7. | Unfolded bottom sheet on bed | 2 | |
| | a. Right side up | 2 | |
| | b. With narrow hem even with foot of mattress | 2 | |
| | c. With center fold of sheet at center of bed | 2 | |
| 8. | Tucked clean bottom sheet under mattress to fit tightly and smoothly at head of bed | 3 | |
| 9. | Made a mitered corner at head of mattress to fit tightly and smoothly | 3 | |
| 10. | Tucked entire side from head to foot of bed | 2 | |
| 11. | Placed drawsheet at center of bed (14-16 inches from head of bed) and tucked under mattress to fit tightly and smoothly | 3 | |
| 12. | Unfolded top sheet on mattress, wrong side up, with hem even with top edge of mattress and center fold used to center the sheet | 3 | |
| 13. | Placed the spread/blanket on the bed right side up with the top edge even with the top edge of the mattress, using the center fold to center the spread. | 3 | |
| 14. | Tucked top sheet and spread/blanket as a unit under foot of mattress; mitered corner to fit tightly and smoothly, allowing the top sheet and spread to hang free on the side of the mattress | 3 | |
| 15. | Moved to opposite side of bed, fanfolded top covers to center of bed | 1 | |

| Items Evaluated | Possible | Allocated |
|---|-----------|-----------|
| 16. Tucked the bottom sheet under mattress at head and made a mitered corner | 2 | |
| 17. Tucked the bottom sheet under mattress at the side, working from head to foot of bed, pulling the sheet to remove wrinkles before tucking | 3 | |
| 18. Tucked drawsheet under mattress to fit tightly and smoothly | 2 | |
| 19. Tucked top sheet and spread/blanket under at the foot of the bed; mitered corner to fit tightly and smoothly | 2 | |
| 20. Folded the top sheet over the spread/blanket to make a 6"-8" cuff | 2 | |
| 21. Placed case on pillow; placed pillow at head with open end away from door | 3 | |
| 22. Lowered the bed to its lowest position, replacing all other equipment (bedside table, call signal, chair, etc.) | 2 | |
| 23. Used alcohol-based handrub for hand hygiene | 2 | |
| 24. Used correct body mechanics throughout procedure | 2 | |
| TOTAL POINTS -- PROCEDURE II | 59 | |

***If a student jeopardizes the patient's or his/her own safety or fails to perform a critical technique and does not take immediate action to correct the error, the total points for the procedure or specific subpart(s) will be deducted.*

NURSING ASSISTING

Competitor #: _____ Judge's Signature: _____

| Procedure III | Make an Occupied Bed (Time: 10 minutes) | Possible | Allocated |
|---------------|--|----------|-----------|
| 1. | Assembled equipment and supplies | 2 | |
| 2. | Used alcohol-based handrub for hand hygiene | 2 | |
| 3. | Practiced standard precautions throughout procedure | 2 | |
| 4. | Greeted and identified patient | 1 | |
| 5. | Identified self, explained procedure and provided privacy | 3 | |
| 6. | Arranged the linen on a chair in the order in which the linen will be used | 1 | |
| 7. | Lowered headrest and footrest to a flat position (if permissible), adjusted bed to appropriate height and locked wheels | 3 | |
| 8. | Lowered side rail on working side | 1 | |
| 9. | Loosened top bedclothes at the bottom of the mattress, removed the spread/blanket and placed in the hamper | 2 | |
| 10. | Replaced the top sheet with a bath blanket, having patient hold the top edge of the bath blanket (if able) while sliding the soiled top sheet out from top to bottom, then placed soiled sheet in hamper | 2 | |
| 11. | Removed the pillow and assisted patient to turn to opposite side of bed | 2 | |
| 12. | Folded/rolled bottom linens up to patient's body | 1 | |
| 13. | Placed bottom sheet on bed | | |
| | a. Right side up | 2 | |
| | b. With narrow hem even with foot of mattress | 2 | |
| | c. With middle fold of sheet at center of bed and fan folded opposite side to patient | 2 | |
| 14. | Tucked clean bottom sheet under mattress to fit tightly and smoothly at head of bed and mitered corner | 2 | |
| 15. | Tucked entire side from head to foot of bed | 2 | |
| 16. | Placed drawsheet on bed; tucked under mattress; fan-folded to center of bed | 3 | |
| 17. | Turned the patient toward you while cautioning the patient about turning over the fanfolded linen and raised side rail | 3 | |

| Items Evaluated | Possible | Allocated |
|---|-----------|-----------|
| 18. Moved to the opposite side of bed and lowered side rail | 2 | |
| 19. Removed soiled bottom linens and placed in hamper | 2 | |
| 20. Pulled the clean bottom sheet into place, tucked in clean linen snugly at head of bed and mitered corner | 2 | |
| 21. Pulled gently to remove wrinkles and tucked entire side from head to foot of bed | 3 | |
| 22. Pulled clean draw sheet into place and tucked it firmly under the side of the mattress without wrinkles | 2 | |
| 23. Assisted patient to turn to center of bed on his/her back | 2 | |
| 24. Placed clean top sheet, wrong side up, over bath blanket, centered using the sheets center fold | 1 | |
| 25. Asked patient to hold the top edge of the clean sheet, then removed soiled bath blanket by pulling it from the top to the bottom of the bed, and placed in hamper | 1 | |
| 26. Placed spread/blanket on top of top sheet, right side up and centered, and tucked top linens as a unit at foot of bed and mitered corners | 2 | |
| 27. Before tucking in the final fold, formed a toepleat by making a 3-inch fold in the top of the linen with the fold toward the foot of the bed, then completed the mitered corner | 2 | |
| 28. Raised side rails and moved to the opposite side of the bed | 1 | |
| 29. Lowered the siderail and completed the top linens on the opposite side of the bed, then raised the siderail | 2 | |
| 30. Folded the top sheet over the spread/blanket to make a 6" – 8" cuff | 1 | |
| 31. Inserted the pillow into a clean pillow case appropriately | 2 | |
| 32. Positioned pillow to patient's comfort with the open end away from the door | 1 | |
| 33. Observed all checkpoints before leaving the patient: placed call signal within easy reach, lowered bed, positioned patient in good body alignment, etc. | 3 | |
| 34. Used correct body mechanics throughout procedure | 2 | |
| 35. Used alcohol-based handrub for hand hygiene | 2 | |
| TOTAL POINTS -- PROCEDURE III | 71 | |

***If a student jeopardizes the patient's or his/her own safety or fails to perform a critical technique and does not take immediate action to correct the error, the total points for the procedure or specific subpart(s) will be deducted.*

NURSING ASSISTING

Competitor #: _____

Judge's Signature: _____

| Procedure IV | Position Patient with Specified Disability in Bed (Time: 5 minutes) | Possible | Allocated |
|---------------------|--|-----------------|------------------|
| | <p><i>Competitors will be asked to demonstrate ONE of the following positions:</i></p> <ul style="list-style-type: none"> • <i>Supine</i> • <i>Lateral</i> • <i>Prone</i> | | |
| 1. | Obtained instructions and assembled equipment | 2 | |
| 2. | Used alcohol-based handrub for hand hygiene | 2 | |
| 3. | Practiced standard precautions throughout procedure | 2 | |
| 4. | Greeted and identified patient | 1 | |
| 5. | Introduced self | 1 | |
| 6. | Explained procedure and provided privacy | 2 | |
| 7. | Locked the wheels on the bed, elevated bed to comfortable height, lowered bedrail on the appropriate side of the bed as necessary | 3 | |
| 8. | Supine Position | 2 | |
| | a. Positioned the patient lying on his/her back. | 2 | |
| | b. Positioned the head in a straight line with the spine, placing a pillow under the head and neck to provide support | 2 | |
| | c. Placed a pillow or rolled blanket under the lower legs (from knees to 2" above heels) to provide support and keep heels off bed | 2 | |
| | d. Positioned pillow or rolled blanket against the soles of the feet to keep the toes pointed upward | 2 | |
| 9. | Lateral Position | 1 | |
| | a. Positioned the patient lying on his/her side | 1 | |
| | b. Placed a small pillow under the head and neck for support | 1 | |
| | c. Flexed the lower arm at the elbow | 1 | |
| | d. Supported the upper arm, flexed at the elbow, on a pillow or rolled blanket | 1 | |
| | e. Flexed both knees slightly, placed a firm pillow or rolled blanket between the legs with the pillow/blanket extending from the upper leg to the ankle | 1 | |

| Items Evaluated | Possible | Allocated |
|--|-----------|-----------|
| f. Used a pillow or rolled blanket to keep the feet at right angle to the legs | 1 | |
| g. Placed rolled washcloths or foam rubber balls in hands | 1 | |
| h. Used pillows to support the back and/or abdomen | 1 | |
| 10. Prone Position | | |
| a. Positioned the patient lying on his/her abdomen | 1 | |
| b. Placed the head in direct line with the spine and turned | 1 | |
| c. Turned the head to one side, supported with a small pillow | 1 | |
| d. Placed a small pillow under the waist for support | 1 | |
| e. Placed a firm pillow under the lower legs to slightly flex the knees | 1 | |
| f. Positioned feet at right angles to the legs by ending the feet over the mattress or using pillows/rolled blankets for support | 2 | |
| g. Placed arms in line on either side of the head with the elbows slightly flexed for comfort | 1 | |
| 11. Checked all aspects of the patient's position and comfort prior to leaving | 2 | |
| 12. Observed all checkpoints prior to leaving the patient, making sure the siderails are elevated, bed is at its lowest level, call signal and supplies within reach, body comfortable in good alignment and area is neat and clean. | 3 | |
| 13. Used alcohol-based handrub for hand hygiene | 2 | |
| TOTAL POINTS -- PROCEDURE IV (one position) | 28 | |

***If a student jeopardizes the patient's or his/her own safety or fails to perform a critical technique and does not take immediate action to correct the error, the total points for the procedure or specific subpart(s) will be deducted.*

NURSING ASSISTING

Competitor #: _____

Judge's Signature: _____

| Procedure V | Transfer Patient with Specified Disability from Bed to Chair/Wheelchair (Time: 4 minutes) | Possible | Allocated |
|--------------------|---|-----------------|------------------|
| 1. | Assembled equipment | 1 | |
| 2. | Used alcohol-based handrub for hand hygiene | 2 | |
| 3. | Practiced standard precautions throughout procedure | 2 | |
| 4. | Greeted and identified patient | 1 | |
| 5. | Introduced self | 1 | |
| 6. | Explained procedure and provided privacy | 3 | |
| 7. | Determined which side of bed to use and placed chair/wheelchair at head of bed | 2 | |
| 8. | Locked wheels of wheelchair and folded up foot rest, if needed | 2 | |
| 9. | Lowered bed and locked wheels | 2 | |
| 10. | Elevated the head of bed | 2 | |
| 11. | Lowered the side rails on the exit side of bed | 2 | |
| 12. | Fanfolded the bed linen to the foot of the bed | 1 | |
| 13. | Assisted patient to dangle feet and observed for signs of stress | 2 | |
| 14. | Put robe and slippers with non-slip soles on the patient | 1 | |
| 15. | Applied gait belt | | |
| | a. Positioned belt around patient's waist – on top of clothing | 2 | |
| | b. Positioned buckle/clasp so it is slightly off center in front of patient | 1 | |
| | c. Tightened belt so that fingers of both hands can be placed under belt | 2 | |
| 16. | Transferred patient into chair/wheelchair | | |
| | a. Kept back straight and placed one hand on each side of the belt using an underhand grasp while standing close to and facing the patient | 2 | |
| | b. Positioned feet to provide wide base of support (If patient has a weak leg, supported it by positioning knee against patient's knee or by blocking patient's foot) | 2 | |
| | c. Instructed patient to assist by pushing against bed with hands to raise to standing position on a given signal (such as on the count of three) | 1 | |

| Items Evaluated | Possible | Allocated |
|--|-----------|-----------|
| d. At the given signal, assisted patient to stand at bedside, lifting up on the belt while the patient pushes up from the bed | 2 | |
| e. Assisted patient to pivot until back of legs are touching the seat of the chair, place his/her hands on the armrests, bend at the knees and sit down in chair | 3 | |
| f. Adjusted footrest of wheelchair as needed and removed gait belt | 2 | |
| 17. Draped patient with blanket/sheet | 1 | |
| 18. Checked to determine if patient was comfortable | 1 | |
| 19. Used alcohol-based handrub for hand hygiene | 2 | |
| TOTAL POINTS -- PROCEDURE V | 45 | |

***If a student jeopardizes the patient's or his/her own safety or fails to perform a critical technique and does not take immediate action to correct the error, the total points for the procedure or specific subpart(s) will be deducted.*

NURSING ASSISTING

Competitor #: _____ Judge's Signature: _____

| Procedure VI | Measure and Record Vital Signs (Time: 10 minutes) (Time: 12 minutes if using glass thermometer) | Possible | Allocated |
|---|--|-----------------|------------------|
| 1. | Assembled equipment and supplies | 1 | |
| 2. | Used alcohol-based handrub for hand hygiene | 2 | |
| 3. | Practiced standard precautions throughout procedure | 2 | |
| 4. | Greeted and identified patient | 2 | |
| 5. | Identified self | 1 | |
| 6. | Explained vital sign procedure | 2 | |
| 7. | Questioned patient about eating, drinking, and smoking | 2 | |
| 8. | Positioned patient comfortably | 1 | |
| JUDGES: Evaluate either 9A or 9B | | | |
| 9A. | TEMPERATURE – Electronic Thermometer | | |
| a. | Placed digital thermometer in disposable sheath or placed a probe cover over the probe | 2 | |
| b. | Inserted thermometer/probe under the patient's tongue | 2 | |
| c. | Held the thermometer/probe in place until unit signals | 2 | |
| d. | Removed thermometer/probe from patient's mouth | 2 | |
| e. | Disposed of sheath/probe cover in biohazardous waste container | 2 | |
| f. | Read and verbalized the patient's temperature correctly | 4 | |
| g. | Returned thermometer to cover or return probe to stored position | 2 | |
| h. | Recorded accurately on graphic form | 2 | |
| 9B. | TEMPERATURE – Mercury Free Oral Thermometer | | |
| a. | Removed clean thermometer by the upper end and used a tissue to wipe the thermometer from stem to bulb. | 1 | |
| b. | Shook down the thermometer until it read 96 ⁰ F or lower. | 1 | |
| c. | Checked the thermometer for damage while placing a disposable plastic sheath over the thermometer. | 2 | |
| d. | Inserted the bulb under the patient's tongue, toward the side of the mouth, asking the patient to hold it in place with the hand or lips but not to bite it. | 2 | |
| e. | Left the thermometer in place for three minutes. | 2 | |

| Items Evaluated | | Possible | Allocated |
|-----------------|--|----------|-----------|
| f. | Removed thermometer by holding the stem and removed/discarded the sheath in a biohazard container without touching the part that was in the patient's mouth. | 2 | |
| f. | Read and verbalized the patient's temperature correctly | 4 | |
| g. | Returned thermometer to solution in container. | 2 | |
| h. | Recorded accurately on graphic form | 2 | |
| 10. | RADIAL PULSE | | |
| a. | Positioned patient's hand and arm so they were well supported and rested comfortably with palm of hand turned downward | 2 | |
| b. | Placed fingers properly on thumb side of wrist | 1 | |
| c. | By exerting light pressure, counted regular pulse for 30 seconds times 2; if irregular, counted for full minute | 2 | |
| d. | Counted pulse accurately within plus or minus 2 of judge's count | 3 | |
| e. | Described quality characteristics of pulse to judge (volume – character strength, and rhythm - regularity) | 2 | |
| f. | Recorded accurately on graphic form | 2 | |
| 11. | RESPIRATION | | |
| a. | Continued pulse position to keep patient unaware of counting | 2 | |
| b. | Counted regular respirations for 30 seconds times 2; if irregular, counted for full minute | 1 | |
| c. | Counted respirations accurately within plus or minus 2 of judge's count | 3 | |
| d. | Described quality characteristics of respirations to judge (depth and rhythm) | 2 | |
| e. | Recorded accurately on graphic form | 2 | |
| 12. | BLOOD PRESSURE | | |
| a. | Cleaned earpieces and stethoscope | 2 | |
| b. | Exposed patient's arm and positioned the arm so that it is supported, comfortable, and close to the level of the heart with the palm up | 2 | |
| c. | Wrapped deflated cuff around patient's arm above the elbow, snugly and smoothly | 1 | |
| d. | Centered the bladder over the brachial artery, 1 – 1 ½ " above the elbow | 2 | |
| e. | With one hand, closed valve on bulb, clockwise | 1 | |
| f. | Palpated radial pulse | 1 | |

| Items Evaluated | Possible | Allocated |
|--|-----------|-----------|
| g. Inflated cuff to 30 mm Hg above pulse disappearance | 2 | |
| h. Opened valve slowly until radial pulse detected | 2 | |
| i. Reported palpated pressure and maximum inflation level to judge | 2 | |
| j. Deflated cuff completely and waited 30 - 60 seconds | 1 | |
| k. Positioned earpieces of stethoscope in ears | 1 | |
| l. Palpated brachial artery | 2 | |
| m. Placed stethoscope over brachial artery | 2 | |
| n. Rapidly inflated the cuff to the maximum inflation level | 2 | |
| o. Released the air in the cuff at a rate of 2 to 3 mm Hg per second silently noting the systolic and diastolic pressures | 2 | |
| p. Listened for 10-20 mm Hg below the last sound heard to confirm disappearance, then deflated the cuff rapidly and completely | 2 | |
| q. Removed cuff from patient's arm and made patient comfortable | 2 | |
| r. Recorded blood pressure accurately on graphic form | 2 | |
| s. Cleaned earpieces of stethoscope | 1 | |
| t. Replaced equipment appropriately | 1 | |
| u. Maintained accuracy within +/- 2 mm Hg of judge's reading of systolic pressure | 2 | |
| v. Maintained accuracy within +/- 2 mm Hg of judge's reading of diastolic pressure | 2 | |
| 13. Used alcohol-based handrub for hand hygiene | 2 | |
| 14. Executed all vital sign procedures (temperature, pulse, respiration and blood pressure) smoothly and in logical order, overlapping procedures to maximize efficiency of time | 3 | |
| TOTAL POINTS - PROCEDURE VI | 95 | |

***If a student jeopardizes the patient's or his/her own safety or fails to perform a critical technique and does not take immediate action to correct the error, the total points for the procedure or specific subpart(s) will be deducted.*

NURSING ASSISTING

Competitor #: _____

Judge's Signature: _____

| Procedure VII | Prepare a Patient for a Meal (Time: 6 minutes) | Possible | Allocated |
|--------------------------------------|--|-----------------|------------------|
| 1. | Used alcohol-based handrub for hand hygiene | 2 | |
| 2. | Practiced standard precautions throughout procedure | 2 | |
| 3. | Identified patient, checked name against name on food tray, and provided for privacy | 3 | |
| 4. | Placed tray on overbed table | 1 | |
| 5. | Communicated to patient effectively | 3 | |
| 6. | Positioned patient in Fowler's and adjusted overbed stand to appropriate height | 1 | |
| 7. | Gave patient warm, wet wash cloth to wash face and hands and towel to dry | 3 | |
| 8. | Checked food tray for accuracy (diet and food correct) | 1 | |
| 9. | Positioned napkin or towel to protect patient's clothing | 1 | |
| 10. | Arranged food and silverware conveniently | 1 | |
| 11. | When patient was finished eating, removed tray from bedside | 2 | |
| 12. | Gave patient warm, wet wash cloth to wash face and hands and towel to dry – inquired about need for oral hygiene | 3 | |
| 13. | Removed tray from room | 1 | |
| 14. | Left patient comfortable | 1 | |
| 15. | Determined total intake and recorded amounts on the I&O record | 3 | |
| 16. | Used alcohol-based handrub for hand hygiene | 2 | |
| TOTAL POINTS -- PROCEDURE VII | | 30 | |

***If a student jeopardizes the patient's or his/her own safety or fails to perform a critical technique and does not take immediate action to rectify the error, the total points for the procedure or specific subpart(s) will be deducted.*

Graphic Chart

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|--------------|-------------------|---|----|-----------|---|----|----------------------------|---|----|-----------|---|----|-----------|---|----|-----------|---|----|------------------------|---|----|-----------|---|----|
| Last Name | | First Name | | | | | | Attending Physician | | | | | | | | | | | | Room Number | | | | | |
| | | | | | | | | | | | | | | | | | | | | Hospital Number | | | | | |
| Date | | | | | | | | | | | | | | | | | | | | | | | | | |
| Day in Facility | | | | | | | | | | | | | | | | | | | | | | | | | |
| Day PO or PP | | | | | | | | | | | | | | | | | | | | | | | | | |
| Temperature | Hour | AM | | | PM | | | AM | | | PM | | | AM | | | PM | | | AM | | | PM | | |
| | | 4 | 8 | 12 | 4 | 8 | 12 | 4 | 8 | 12 | 4 | 8 | 12 | 4 | 8 | 12 | 4 | 8 | 12 | 4 | 8 | 12 | 4 | 8 | 12 |
| | 104 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 103 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 102 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 101 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 100 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 99 Normal | | | | | | | | | | | | | | | | | | | | | | | | |
| | 98 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 97 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 96 | | | | | | | | | | | | | | | | | | | | | | | | |
| | Pulse | 140 | | | | | | | | | | | | | | | | | | | | | | | |
| | | 130 | | | | | | | | | | | | | | | | | | | | | | | |
| | | 120 | | | | | | | | | | | | | | | | | | | | | | | |
| | | 110 | | | | | | | | | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Respiration | | 50 | | | | | | | | | | | | | | | | | | | | | | | |
| | 40 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 30 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 20 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 10 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Pressure | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fluid Intake | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urine | | | | | | | | | | | | | | | | | | | | | | | | | |
| Defecation | | | | | | | | | | | | | | | | | | | | | | | | | |
| Weight | | | | | | | | | | | | | | | | | | | | | | | | | |

INTAKE AND OUTPUT RECORD

| Last Name First Name | | Attending Physician | | | | Room # | Hospital # | | | | | | |
|-------------------------|---------------------|---------------------|-------|--|---------------------|--------|------------|-------|--|-------|--|--|---------|
| Date | INTAKE | | | | OUTPUT | | | | | OTHER | | | REMARKS |
| Time | Oral | IV | Blood | | Urine | Tube | Emesis | Feces | | | | | |
| 7 – 8 am | | | | | | | | | | | | | |
| 8 – 9 am | | | | | | | | | | | | | |
| 9 – 10 am | | | | | | | | | | | | | |
| 10 – 11 am | | | | | | | | | | | | | |
| 11 – 12 noon | | | | | | | | | | | | | |
| 12- 1 pm | | | | | | | | | | | | | |
| 1 – 2 pm | | | | | | | | | | | | | |
| 2 – 3 pm | | | | | | | | | | | | | |
| 8 Hour Total | | | | | | | | | | | | | |
| 3 – 4 pm | | | | | | | | | | | | | |
| 4 – 5 pm | | | | | | | | | | | | | |
| 5 – 6 pm | | | | | | | | | | | | | |
| 6 – 7 pm | | | | | | | | | | | | | |
| 7 – 8 pm | | | | | | | | | | | | | |
| 8 – 9 pm | | | | | | | | | | | | | |
| 9 – 10 pm | | | | | | | | | | | | | |
| 10 – 11 pm | | | | | | | | | | | | | |
| 8 Hour Total | | | | | | | | | | | | | |
| 11 – 12 pm | | | | | | | | | | | | | |
| 12 – 1 am | | | | | | | | | | | | | |
| 1 – 2 am | | | | | | | | | | | | | |
| 2 – 3 am | | | | | | | | | | | | | |
| 3 – 4 am | | | | | | | | | | | | | |
| 4 – 5 am | | | | | | | | | | | | | |
| 5 – 6 am | | | | | | | | | | | | | |
| 6 – 7 am | | | | | | | | | | | | | |
| 8 Hour Total | | | | | | | | | | | | | |
| 24 HOUR TOTAL | | | | | | | | | | | | | |
| | Total Intake | | | | Total Output | | | | | | | | |